


ADX

Audio  Authority[®]




ADX Audio Matrix Switcher

ADX




8 or 16 stereo RCA inputs

ADX



8 or 16 stereo RCA outputs



ADX



Quick-connect DB-25 output to Audio Authority SF-16 16 Channel Amplifier




ADX



10-band graphic EQ per zone output

ADX



IR, RS-232 and Ethernet control options

ADX



Control the ADX with Audio Authority's new iPhone/iPad app

ADX



Control the ADX with Audio Authority's new iPhone/iPad app

- Free download: Available on Apple App Store October 20 | 1

ADX



Control the ADX with Audio Authority's new iPhone/iPad app

- Free download: Available on Apple App Store October 20 | 1
- Real-time control of ZQ 10-band EQ per zone

ADX



Control the ADX with Audio Authority's new iPhone/iPad app


- Free download: Available on Apple App Store October 20 | 1
- Real-time control of ZQ 10-band EQ per zone
- Zone and source selection, volume, muting, tone controls with status feedback

ADX PRODUCT APPLICATIONS



RESIDENTIAL APPLICATION

ADX/SF-16 Whole-House Audio



LEGEND


- Line Level Audio
- FlexPort Audio (Cat5)
- Speaker Level Audio
- DB-25 Connector




RESIDENTIAL APPLICATION

ADX/SF-16 Whole-House Audio

- ADX routes 8 audio sources to 8 zones





RESIDENTIAL APPLICATION


ADX/SF-16 Whole-House Audio

- ADX routes 8 audio sources to 8 zones
- SF-16 Amplifier delivers 60W per channel to speakers throughout the house



RESIDENTIAL APPLICATION

ADX/SF-16 Whole-House Audio




- ADX routes 8 audio sources to 8 zones
- SF-16 Amplifier delivers 60W per channel to speakers throughout the house
- Local mp3 players in the kid's and master bedrooms override whole-house audio system via RA-U wallplates and the SF-16 amplifier

LEGEND

- Line Level Audio
- FlexPort Audio (Cat5)
- Speaker Level Audio
- DB-25 Connector

ADX



RESIDENTIAL APPLICATION


ADX/SF-16 Whole-House Audio

- ADX routes 8 audio sources to 8 zones
- SF-16 Amplifier delivers 60W per channel to speakers throughout the house
- Local mp3 players in the kid's and master bedrooms override whole-house audio system via RA-U wallplates and the SF-16 amplifier
- 3rd party touchscreen controls all switching, local source override and audio sources

ADX

HOTEL APPLICATION

ADX/SF-16 Distributed Audio




ADX

HOTEL APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to 8 areas






HOTEL APPLICATION

ADX/SF-16 Distributed Audio


- ADX routes 3 audio sources to 8 areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility



LEGEND

- Line Level Audio
- FlexPort Audio (Cat5)
- Speaker Level Audio
- Balanced Audio
- DB-25 Connector

ADX



HOTEL APPLICATION


ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to 8 areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility
- Paging announcements are issued from the front desk to select areas using a push-to-talk mic connected to the RA-B wallplate and the SF-16

LEGEND

- Line Level Audio
- FlexPort Audio (Cat5)
- Speaker Level Audio
- Balanced Audio
- DB-25 Connector

ADX



HOTEL APPLICATION


ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to 8 areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility
- Paging announcements are issued from the front desk to select areas using a push-to-talk mic connected to the RA-B wallplate and the SF-16
- 3rd party touchscreen controls all switching and audio sources

ADX

RESTAURANT/BAR APPLICATION


ADX/SF-16 Distributed Audio



LEGEND

- Line Level Audio
- FlexPort Audio (Cat5)
- Speaker Level Audio
- Balanced Audio
- DB-25 Connector

ADX



RESTAURANT/BAR APPLICATION


ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to multiple areas

LEGEND

- Line Level Audio
- FlexPort Audio (Cat5)
- Speaker Level Audio
- Balanced Audio
- DB-25 Connector

ADX




RESTAURANT/BAR APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to multiple areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility

ADX




RESTAURANT/BAR APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to multiple areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility
- Paging announcements are issued from the reception desk to the waiting area only using a push-to-talk mic connected to a RA-B wallplate and the SF-16 amplifier

ADX



RESTAURANT/BAR APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to multiple areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility
- Paging announcements are issued from the reception desk to the waiting area only using a push-to-talk mic connected to a RA-B wallplate and the SF-16 amplifier
- Stage/Band mixer overrides audio in the dining area and bar using a RA-B wallplate connected to the SF-16 amplifier

LEGEND

Orange line	Line Level Audio
Blue line	FlexPort Audio (Cat5)
Red line	Speaker Level Audio
Black line	Balanced Audio
Grey square	DB-25 Connector

ADX

Audio  Authority[®]



ADX Audio Matrix Switcher