

2048 Mercer Road, Lexington, KY 40511 • Phone: 800-322-8346 / 859-233-4599 • www.audioauthority.com/GPU

## Consumer Price Sheet Aviation Ground Power Products – Effective December 1, 2012

	2800 Series Ground Power Units & Accessories		
MODEL	DESCRIPTION	PRICE	
2835A	35-amp 28-volt aviation Ground Power Unit (GPU)         Image: Constraint of the second state of the second s	\$795.00	
2835A-B1	35-amp 28-volt aviation Ground Power Unit (GPU)         Image: State of the st	\$1,045.00	
2860A	60-amp 28-volt aviation Ground Power Unit (GPU)         Image: Comparison of the second state of the second s	\$1,095.00	

2870A	70-amp 28-volt aviation Ground Power Unit (GPU)	\$1,195.00
	(similar appearance to Model 2835A above)	
	Digital volt & amp output meters, 2-meter output cable with AN2551 3-pin oval plug, removable cord caddies. Input: 100-240VAC 19A 50-60Hz.	
2870A-B1	70-amp 28-volt aviation Ground Power Unit (GPU)	\$1,445.00
	(similar appearance to Model 2835A-B1 above)	
	Integral BatteryMINDer®, charger output cable with ambient temp sensor, digital volts & amps output meters, GPU output cable with AN2551 3-pin oval plug, removable cord caddies. Includes BM-AIK1 Airframe Interface Kit. Input: 100-120VAC 19A 50-60Hz.	
BM-AIK1	BatteryMINDer Airframe Interface Kit	\$42.95
	Aviation-grade parts kit to install battery charger harness on FAA certified aircraft. One included with BatteryMINDer equipped GPUs. Order extras to use BatteryMINDer with additional aircraft.	
BM-MOC	Charger Output Cable for Piper Meridian	\$75.00
	For GPUs equipped with internal BatteryMINDer, charger output cable with blue Anderson SBS50 plug for Piper Meridians with factory-installed charger interface (serial number 256 and higher). Includes ambient temperature sensor to correctly regulate charger output.	

## NOTES:

- Ground Power Units are designed to power airframe systems only, not for turning starter motors, especially turbine engines, which require several hundred peak amperes. In some aircraft, a GPU may be used to "top-off" an aircraft battery if the ship's battery is, or can be, switched inline with the GPU (just like battery charging while in flight).
- To better understand the proper use and limitations of GPUs, watch our 5-minute video tutorial online. Also, owner's instruction manuals are available online for download.

Aviation DC Power Plugs and Cables		
MODEL	DESCRIPTION	PRICE
904-342	AN2551 3-pin Aircraft External Power Plug	\$59.95
	Designed to plug into standard AN2552 external power receptacle found on most General Aviation aircraft. Rugged polycarbonate shell, assembled with stainless steel hardware. Torch-soldered heavy-duty copper contacts with silver plating. Up to 0000 AWG wire. 50% more power handling. Up to 1600A peak.	
	Anderson 50-Amp DC Power Plugs	
	2-pole genderless, quick-connect design. Housing features mechanical keys to ensure connectors will only mate with same color.	
6319G1	SB50 Gray (used on Piper JetProp conversion)	\$7.00
6331G2	SB50 Red (std color code for 24VDC)	\$7.00
SBS50BLU#10	SBS50 Blue (used on Piper Meridian)	\$16.00
802-689	Aircraft Jumper Cable	\$179.95
	16' dual 4AWG cable with alligator battery clamps installed at one end and AN2551 3-pin oval aircraft external power plug at the other end.	

Aviation-Specific BatteryMINDer <sup>®</sup> Products Battery Charger/Maintainer/Desulfating Conditioner		
MODEL	DESCRIPTION	PRICE
12248-AA-S2	BatteryMINDer <sup>®</sup> Aviation-Specific 12-Volt 2/4/8-A Battery Charger	\$195.00
	Universally recognized as the best battery charger for lead-acid aircraft batteries, the BatteryMINDer is designed to be left connected to your aircraft battery continuously during hangar storage. Its output is temperature- compensated to guarantee optimal charging without risk of damage from overcharging. It then maintains the battery while conditioning by safely dissolving built-up lead sulfate crystals, restoring lost cranking power and extending battery life. "Plug-N-Run" design for automatic operation and restart after power failure. <u>Not for use with NiCad, Odyssey or Gill LT batteries.</u> Comes with battery clip & ring terminal harnesses for easy battery connections, suitable for bench connections or experimental aircraft. <b>NOTE:</b> If for use on FAA certified aircraft, order BM-AIK2 Airframe	
	Interface Kit below to install legal battery harness.	
24041-AA-S2	<ul> <li>BatteryMINDer<sup>®</sup> Aviation-Specific 24-Volt 1/2/4-A Battery Charger</li> <li>Same as above but for 24-volt lead-acid aviation batteries ONLY. Not for use with NiCad, Odyssey or Gill LT batteries.</li> <li>NOTE: If for use on FAA certified aircraft, order BM-AIK2 Airframe Interface Kit below to install legal battery harness.</li> </ul>	\$195.00
24041-AA-S5	BatteryMINDer <sup>®</sup> Aviation-Specific 24-Volt 1/2/4-A Battery Charger Same as above but for specific higher charging voltage for <u>Concorde batteries</u> <u>ONLY</u> . 24-volt lead-acid aviation batteries ONLY. Not for use with NiCad, Odyssey or Gill LT batteries. NOTE: If for use on FAA certified aircraft, order BM-AIK2 Airframe Interface Kit below to install legal battery harness.	\$219.95
BM-AIK2	Parts kit to adapt aviation-specific BatteryMINDers for use with FAA-certified aircraft. Consists of SB50 polarized plug with in-line fuse and 6' color-coded MIL-spec wiring, insulating elastomeric dust cover, two 5/16" ring terminals, and installation instructions. SAE to SB50 harness also included for adapting BatteryMINDer's output to a mating SB50 (not installed on aircraft).	\$59.95

SAE2-SBS50	Piper Meridian Adapter (SAE to Anderson SBS50 Blue)	\$25.00
	Adapts the BatteryMINDer's SAE plug to an Anderson SBS50 to plug into Piper Meridian's battery charger interface (S/N 256 & higher).	
ATS-1	Ambient Temperature Sensor	\$9.95
	The second se	
	Calibrated thermistor, plugs into aviation-specific BatteryMINDers to provide an ambient temperature reference to regulate charger output. Replaces older at- the-battery sensors when used with certified aircraft.	

BatteryMINDer <sup>®</sup> Automotive & General Purpose Products (non-aviation) Battery Charger/Maintainer/Desulfating Conditioner		tion)
MODEL	DESCRIPTION	PRICE
12117	BatteryMINDer Model 12117: 12 Volt 1.33 Amp Charger / Maintainer / Desulfator for autos, motorcycles, boats, ATV, etc.BatteryMINDer® 12117 is a 2 stage charger/maintainer/desufator that extends performance and life of 12 Volt sealed lead-acid batteries including flooded (filler cap, maintenance-free, valve regulated lead-acid [VRLA], lead-acid 	\$49.95
12248	BatteryMINDer 12-Volt 2/4/8 Amp 3-stage Temperature-Compensated Battery Charger / Maintainer / Desulfator for autos, motorcycles, boats, ATV, etc.         Image: Compensated Battery Charger / Maintainer / Desulfator for autos, motorcycles, boats, ATV, etc.         Image: Compensated Battery Charger / Maintainer / Desulfator for autos, motorcycles, boats, ATV, etc.         Image: Compensated Battery Charger / Maintainer / Desulfator for autos, motorcycles, boats, ATV, etc.         Image: Compensate Action of the state of the sta	\$139.95
VPP-12	Vehicle Power Plug           For vehicles with an un-switched DC outlet (cigarette lighter outlet), this is the most convenient way to gain access to your battery for charging.	\$10.00

## **GENERAL TERMS & CONDITIONS:**

- Discounts available to FBOs, maintenance and avionics shops, dealers, OEMs, and volume resellers. Please contact the factory for qualifications.
- All products include a 14-day return privilege, and minimum 1-year limited parts & labor warranty. BatteryMINDers include a 5-year limited warranty from VDC Electronics.
- Payment terms: Major credit cards accepted.
- Shipping: Prices do not include shipping. Standard shipping is UPS ground. Expedited shipping is available at additional cost. All shipments are FOB our shipping dock in Lexington, KY.
- Ground Power Units designed and assembled in USA, from domestic and foreign components.