ADX

Audio Authority®

ADX Audio Matrix Switcher

ADX



8 or 16 stereo RCA inputs

ADX



8 or 16 stereo RCA outputs

ADX



Quick-connect DB-25 output to Audio Authority SF-16 16 Channel Amplifier

ADX



10-band graphic EQ per zone output

ADX



IR, RS-232 and Ethernet control options

ADX PRODUCT APPLICATIONS

RESIDENTIAL APPLICATION

ADX/SF-16 Whole-House Audio



ADX

RESIDENTIAL APPLICATION

ADX/SF-16 Whole-House Audio

- ADX routes 8 audio sources to 8 zones



ADX



LEGEND

- Line Level Audio
- FlexPort Audio (Cat5)
- Speaker Level Audio
- DB-25 Connector

RESIDENTIAL APPLICATION

ADX/SF-16 Whole-House Audio

- ADX routes 8 audio sources to 8 zones
- SF-16 Amplifier delivers 60W per channel to speakers throughout the house

ADX



RESIDENTIAL APPLICATION

ADX/SF-16 Whole-House Audio

- ADX routes 8 audio sources to 8 zones
- SF-16 Amplifier delivers 60W per channel to speakers throughout the house
- Local mp3 players in the kid's and master bedrooms override whole-house audio system via RA-U wallplates and the SF-16 amplifier

ADX



RESIDENTIAL APPLICATION

ADX/SF-16 Whole-House Audio

- ADX routes 8 audio sources to 8 zones
- SF-16 Amplifier delivers 60W per channel to speakers throughout the house
- Local mp3 players in the kid's and master bedrooms override whole-house audio system via RA-U wallplates and the SF-16 amplifier
- 3rd party touchscreen controls all switching, local source override and audio sources

HOTEL APPLICATION

ADX/SF-16 Distributed Audio



ADX

HOTEL APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to 8 areas



ADX



HOTEL APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to 8 areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility

ADX



HOTEL APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to 8 areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility
- Paging announcements are issued from the front desk to select areas using a push-to-talk mic connected to the RA-B wallplate and the SF-16

ADX



HOTEL APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to 8 areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility
- Paging announcements are issued from the front desk to select areas using a push-to-talk mic connected to the RA-B wallplate and the SF-16
- 3rd party touchscreen controls all switching and audio sources

ADX

RESTAURANT/BAR APPLICATION

ADX/SF-16 Distributed Audio



ADX

RESTAURANT/BAR APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to multiple areas



ADX

RESTAURANT/BAR APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to multiple areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility



ADX

RESTAURANT/BAR APPLICATION

ADX/SF-16 Distributed Audio

- ADX routes 3 audio sources to multiple areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility
- Paging announcements are issued from the reception desk to the waiting area only using a push-to-talk mic connected to a RA-B wallplate and the SF-16 amplifier



ADX

RESTAURANT/BAR APPLICATION

ADX/SF-16 Distributed Audio



- ADX routes 3 audio sources to multiple areas
- SF-16 Amplifier delivers 60W per channel to speakers throughout the facility
- Paging announcements are issued from the reception desk to the waiting area only using a push-to-talk mic connected to a RA-B wallplate and the SF-16 amplifier
- Stage/Band mixer overrides audio in the dining area and bar using a RA-B wallplate connected to the SF-16 amplifier

ADX

Audio Authority®

ADX Audio Matrix Switcher